


Step. 1




No.	Part Name	Quantity	Note
1	Wheel hub set	1	The same to the right
2	Nut M10×1.25	4	
3	Spring lock washer 10	4	
4	Front wheel	1	
5	Front flange assembly	1	

Instruction for the installation:

1. ④ Insert ⑤, then fix ⑤ with ③、②.
2. press ① to ⑤.
3. The left side and right sides are same.

Step. 2




No.	Part Name	Quantity	Note
1	Turning supporting axle	1	The same to the left
2	Split pin	1	
3	Nut	1	
4	Spring lock washer 8	1	
5	Steering box	1	

Instruction for the installation:

1. ⑤ insert ①, then fix ⑤ on ① with ④、③.
2. ② insert ⑤.
3. The right side and left sides are same.

Step. 3




No.	Part Name	Quantity	Note
1	Bolt M10×1.25×40	1	The same to the left
2	Rear shock absorber	1	
3	Front frame assembly	1	
4	Nut M10×1.25	1	

Instruction for the installation:

1. ① Insert ③ and ②, then fix ① with ④.
2. The right side and left sides are same.

Step. 4




No.	Part Name	Quantity	Note
1	Bolt M8×55	1	
2	Bolt block	1	
3	Bumper	1	
4	Front frame assembly		
5	Nut M8	1	

Instruction for the installation:

1. ③ Insert ④, then fix ① insert ②、③、④ with ⑤.

Step.5




No.	Part Name	Quantity	Note
1	Bolt M8×55	1	
2	Bolt block	2	
3	Bumper		
4	Front frame assembly		
5	Nut M8	1	

Instruction for the installation:

1. ③ insert ④, then fix ① insert on ②、③、④ with ⑤.

Step.6




No.	Part Name	Quantity	Note
1	Bolt M8×55	1	The same to the left
2	Bolt block	1	
3	Bumper	1	
4	Front frame assembly		
5	Nut M8		

Instruction for the installation:

1. ② insert ④, then fix ① insert ③ on ④ with ⑤.
2. The left side and right sides are same.

Step.7




No.	Part Name	Quantity	Note
1	Bolt M8×55	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Front frame assembly		
5	Nut M8	1	
7	Headlight plug 1		
8	Headlight plug 2		

Instruction for the installation:

1. ③ insert ④, then fix ① insert ②、③、④ with ⑤.
2. Connect ⑥ with ⑦.

Step.8




No.	Part Name	Quantity	Note
1	Bolt M8×55	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Front frame assembly		
5	Nut M8	1	

Instruction for the installation:

1. ③ insert ④, then fix ① insert on ②、③、④ with ⑤.


Step.9



No.	Part Name	Quantity	Note
1	Bolt M8x55	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Front flange assembly		
5	Nut M8	1	

Instruction for the installation:
 1. ③ insert ④, then fix ① insert ②、③、④ with ⑤.


Step.10



No.	Part Name	Quantity	Note
1	Bolt M8x55	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Front flange assembly		
5	Nut M8	1	

Instruction for the installation:
 1. ③ insert ④, then fix ① insert ②、③、④ with ⑤.


Step.11



No.	Part Name	Quantity	Note
1	Bolt M8x55	1	
2	Bolt block	2	
3	Middle protecting pole	1	
4	Front flange assembly		
5	Nut M8	1	

Instruction for the installation:
 1. ③ insert ④, then fix ① insert ②、③、④ with ⑤.


Step.12



No.	Part Name	Quantity	Note
1	Bolt M8x60	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Big plastic cover of protecting pole		
5	Front protecting pole	1	

Instruction for the installation:
 1. ④ insert ⑤, then fix ② and ④、⑤ on ③ with ①.

Step.13




No.	Part Name	Quantity	Note
1	Bolt M8x55	1	
2	Bolt block	2	
3	Front protecting pole	1	
4	Front flange assembly		
5	Nut M8	1	

Instruction for the installation:

1. ③ Insert ④, then fix ① insert ②、③、④ with ⑤.

Step.14




No.	Part Name	Quantity	Note
1	Bolt M8x60	1	
2	Bolt block	2	
3	Middle protecting pole	1	
4	Big plastic cover of protecting pole		
5	Front protecting pole	1	

Instruction for the installation:

1. ④ insert ⑤, then fix ② and ④、⑤ on ③ with ①.

Step.15




No.	Part Name	Quantity	Note
1	Bolt M8x60	1	
2	Bolt block	2	
3	Middle protecting pole		
4	Big plastic cover of protecting pole	1	
5	Rear protecting pole	1	

Instruction for the installation:

1. ④ Insert ⑤, then fix ② and ④、⑤ on ③ with ①.
2. The left side and right sides are same.

Step.16




No.	Part Name	Quantity	Note
1	Bolt M8x60	1	
2	Bolt block	2	
3	Front frame assembly		
4	Big plastic cover of protecting pole	1	
5	Rear protecting pole		

Instruction for the installation:

1. ④ insert ⑤, then fix ② and ④、⑤ on ③ with ①.

Step.17




No.	Part Name	Quantity	Note
1	Tturning axle assembly	1	
2	Bolt M8×20	2	
3	Front frame assembly		

Instruction for the installation:

1. Fix ① on ③ with ②.

Step.18




No.	Part Name	Quantity	Note
1	Nut M8	4	
2	Spring lock washer 8	4	
3	Plain Washer 8	4	
4	Front frame assembly		
5	Bolt M8×50	4	
6	Seat	2	

Instruction for the installation:

1. Fix ⑥ on ④ with ⑤、③、②、①.

Step.19




No.	Part Name	Quantity	Note
1	Fuel vacuum rubber pipe	1	
2	Fuel outlet rubber pipe	1	
3	Fuel tank cock	1	

Instruction for the installation:

1. ① insert ③.
2. ② insert ③.

Step.20



No.	Part Name	Quantity	Note
1	Nut M6	1	
2	Battery	1	
3	Negative wire	1	
4	Bolt M6×12	1	

Instruction for the installation:

1. ④ insert ②、③, then fix ④、②、③ with ①.

Attention:

Please be noted that the red cable should be connected with the positive of battery. while black cable with negative of battery when connecting.